

HF-KS2-WF Smoke Alarm Kit



- HF-LINK Interconnection.
- 433 smoke alarm kit contains HF-SG3-WF/R 1pcs and HF-S3E-R 3pcs .
- 868 smoke alarm kit contains HF-SG3-WF/R8 1pcs and HF-S3E-R8 pcs.

▪ Specification


General	
Using Environment	-10 °C to 55 °C (14 °F to 131 °F); ≤95% relative humidity (RH)
Communication Mode	HF-KS2-WF: HF-KS2-WF/R8(O-STD):Wi-Fi,868 HF-KS2-WF/R(O-STD):433,Wi-Fi
Mounting Scenario	Indoor
Weight	493.6 g
Dimension (L × W × H)	L 265 mm * W 170 mm * H 120 mm (for package)
Complete Set	HF-KS2-WF:HF-SG3-WF/R *1 HF-S3E-R *3 HF-KS2-WF/R8(O-STD):HF-SG3-WF/R8 *1 HF-S3E-R8 *3 HF-KS2-WF/R(O-STD):HF-SG3-WF/R *1 HF-S3E-R *3

▪ Available Model

HF-KS2-WF/R8

HF-KS2-WF/R

▪ Dimension



Safer Place Better Life

Headquarters

Address: Room 311, Unit B, Building 2, No.399,
Danfeng Road, Binjiang District, Hangzhou City,
Zhejiang Province, China
Tel: 0086 400-800-5998
www.hikvision.com